

**I. LISTING OF CLAIMS****Claims 1-18 (Cancelled)**

**Claim 19 (Currently amended):** A method of generating multiple images of a patient using an imaging device comprising the following steps:

introducing a contrast material into said patient;

loading a plurality of parameter sets into said imaging device, each of the plurality containing at least one parameter that corresponds to one of said multiple images;

retrieving a first parameter set from the plurality of parameter sets;

collecting first image data of a first view of said patient according to the first parameter set;

dynamically adjusting a delay period;

stopping the collecting first image data for a the delay period ~~of an adaptable value;~~

retrieving a second parameter set from the plurality of parameter sets after the delay period;

collecting second image data of a second view of said patient according to the second parameter set;

followed by the step of:

processing the first and second image data to produce said multiple images of said patient.

**Claim 20 (Previously presented):** The method of claim 19, further comprising manipulating said imaging device based on the second parameter set prior to collecting the second image data.

**Claim 21 (Previously presented):** The method of claim 20, wherein said imaging device includes a drive device for moving an examination table on which

said patient rests, and wherein the manipulating said image device comprises moving said examination table via the drive device.

Claim 22 (Previously presented): The method of claim 19, wherein the first view comprises a view of a first location on said patient and the second view comprises a view of a second location on said patient.

Claim 23 (Previously presented): The method of claim 19, wherein the first view comprises a view from a first orientation of a location on said patient and the second view comprises a view from a second orientation of the location on said patient.

Claim 24 (Previously presented): The method of claim 19, wherein the delay period comprises a duration of time sufficiently long enough for said patient to exhale and inhale.

Claim 25 (Previously presented): The method of claim 24, wherein the delay period is between approximately 6.8 and 8.0 seconds.

Claim 26 (Previously presented): The method of claim 24, further comprising providing a stimulus to said patient to exhale and inhale during the delay period.

Claim 27 (Previously presented): The method of claim 26, wherein the stimulus comprises a visual stimulus.

Claim 28 (Previously presented): The method of claim 26, wherein the stimulus comprises an audible stimulus.

Claim 29 (Currently amended): A method of generating multiple images of a patient using an imaging device comprising the following steps:

- introducing a contrast material into said patient;
- loading a plurality of parameter sets into said Imaging device, each of the plurality containing at least one parameter that corresponds to one of said multiple images;
- indexing said imaging device to a first parameter set in the plurality;
- collecting first image data;
- dynamically adjusting a delay period to a first delay period;
- stopping the collecting first image data for a the first delay period of a first adaptable value;
- sequentially indexing said imaging device to each parameter set in the plurality of parameter sets, collecting further image data for each parameter set, and stopping the collecting for each further image data for a respective delay period of a respective adaptable value , the respective delay period being dynamically adjusted between the collection of further image data;
- followed by the step of:
- processing the first and further image data to produce said multiple images of said patient.

Claim 30 (Previously presented): The method of claim 29, wherein the delay period comprises a duration of time sufficiently long enough for said patient to exhale and inhale.

Claim 31 (Previously presented): The method of claim 30, wherein the delay period is between approximately 6.8 and 8.0 seconds.

Claim 32 (Previously presented): The method of claim 30, further comprising providing a stimulus to said patient to exhale and inhale during the delay period.

Claim 33 (Previously presented): The method of claim 32, wherein the stimulus comprises a visual stimulus.

Claim 34 (Previously presented): The method of claim 32, wherein the stimulus comprises an audible stimulus.

Claim 35 (Currently amended): A method of generating multiple images of a patient using an imaging device comprising the following steps:

loading a plurality of parameter sets into said imaging device, each of the plurality containing at least one parameter that corresponds to one of said multiple images;

collecting a first set of image data of the patient corresponding to a first one of said parameter sets;

dynamically adjusting a delay period;

retaining said first set of image data during a the delay period ~~of an adaptable value;~~

collecting a second set of image data of the patient corresponding to a second one of said parameter sets following the delay period;

followed by the step of:

processing said first set of image data and said second set of image data to produce said multiple images of said patient.

Claim 36 (Previously presented): The method of claim 35, wherein the delay period comprises a duration of time sufficiently long enough for said patient to exhale and inhale.

Claim 37 (Previously presented): The method of claim 35, wherein the delay period is between approximately 6.8 and 8.0 seconds.

Claim 38 (Currently amended): The method of claim 29, wherein the dynamically adjustable delay period for the first delay period ~~first adaptable value~~

and all the dynamically adjustable delay periods of the respective adaptable values delay periods are set to predetermined values.

Claim 39 (Currently amended): The method of claim 29, wherein the first ~~adaptable value and the respective adaptable values of delay period and~~ the subsequent delay periods are dynamically adjusted to execute one or more different delay periods.